

BHR Hygiene AG

3493 Kammern

Date printed 18.10.2018, Revision 10.02.2016

Version 01

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****DUX-Car-Wash****1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	BHR Hygiene AG Depot Austria Hauptstraße 39 3493 Kammern / AUSTRIA Phone +43 2734 21380 E-mail office@bhr-hygiene.com
Manufacturer	BHR Hygiene AG Jurastraße 29 93133 Burglengenfeld / GERMANY Phone - E-mail office@bhr-hygiene.com
Address enquiries to	
Technical information	office@bhr-hygiene.com
Safety Data Sheet	sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]**

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements**Hazard pictograms****Signal word**

WARNING

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.
 P101 If medical advice is needed, have product container or label at hand.
 P260 Do not breathe spray.
 P280 Wear eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice / attention.

Cleaner, 648/2004/CE, contains:

< 5% non-ionic surfactants
 < 5% anionic surfactant

2.3 Other hazards**Human health dangers**

Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients**Product-type:**

The product is a mixture.

Range [%]	Substance
5 - <10	2-(2-Butoxyethoxy)ethanol CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX GHS/CLP: Eye Irrit. 2: H319
1 - <3	Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine CAS: 85480-55-3, EINECS/ELINCS: 287-335-8 GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Chronic 3: H412

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-fighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.

BHR Hygiene AG

3493 Kammern

Date printed 18.10.2018, Revision 10.02.2016

Version 01

Page 3 / 11

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.
Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Do not eat, drink, smoke or take drugs at work.
Use barrier skin cream.
Wash hands before breaks and after work.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Keep container tightly closed.
Keep container in a well-ventilated place.
Keep away from frost.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection**8.1 Control parameters****Ingredients with occupational exposure limits to be monitored (GB)**

Substance
2-(2-Butoxyethoxy)ethanol
CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
Long-term exposure: 10 ppm, 67,5 mg/m ³
Short-term exposure (15-minute): 15 ppm, 101,2 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
2-(2-Butoxyethoxy)ethanol
CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX
Eight hours: 10 ppm, 67,5 mg/m ³
Short-term (15-minute): 15 ppm, 101,2 mg/m ³

DNEL

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
Industrial, dermal, Long-term - systemic effects: 83 mg/kg bw/day.
Industrial, inhalative (vapor), Acute - local effects: 60,7 mg/m ³ .
Industrial, inhalative (vapor), Long-term - local effects: 40,5 mg/m ³ .
Industrial, inhalative (vapor), Long-term - systemic effects: 40,5 mg/m ³ .
general population, oral, Long-term - systemic effects: 5 mg/kg bw/day.
general population, inhalative (vapor), Acute - local effects: 60,7 mg/m ³ .
general population, inhalative (vapor), Long-term - local effects: 40,5 mg/m ³ .
general population, inhalative (vapor), Long-term - systemic effects: 40,5 mg/m ³ .
general population, dermal, Long-term - systemic effects: 50 mg/kg bw/day.

PNEC

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
oral (food), 56 mg/kg.
soil, 0,32 mg/kg.
sewage treatment plants (STP), 200 mg/l.
sediment (seaater), 0,44 mg/kg.
sediment (freshwater), 4,4 mg/kg.
seawater, 0,11 mg/l.
freshwater, 1,1 mg/l.

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,4mm butyl rubber, > 120 min (EN 374) The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing.
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale aerosols.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, filter P2. (DIN EN 143)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form	liquid
Color	blue
Odor	characteristic
Odour threshold	not applicable
pH-value	11,0 - <11,5
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,02 - 1,4 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	completely miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not self-igniting
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

BHR Hygiene AG

3493 Kammern

Date printed 18.10.2018, Revision 10.02.2016

Version 01

Page 7 / 11

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Product
ATE-mix, inhalative, > 20 mg/L 4h.
ATE-mix, dermal, > 2000 mg/kg.
ATE-mix, oral, > 2000 mg/kg.
Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LD50, dermal, Rabbit: > 2000 mg/kg (IUCLID).
LD50, oral, Rat: > 2000 mg/kg (IUCLID).
LC50, inhalation (vapour), Rat: > 29 ppm (2 h).

Serious eye damage/irritation	Based on the available information, the classification criteria are fulfilled. Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Respiratory or skin sensitisation	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Specific target organ toxicity — single exposure	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Specific target organ toxicity — repeated exposure	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Mutagenicity	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Reproduction toxicity	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Carcinogenicity	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Toxicological data of complete product are not available.
Aspiration hazard	Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled.
General remarks	none

SECTION 12: Ecological information**12.1 Toxicity**

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LC50, (96h), Lepomis macrochirus: 1300 mg/l (IUCLID).
EC50, (96h), Scenedesmus subspicatus: > 100 mg/l (OECD 201).
EC50, (48h), Daphnia magna: > 100 mg/l (IUCLID).

BHR Hygiene AG

3493 Kammern

Date printed 18.10.2018, Revision 10.02.2016

Version 01

Page 8 / 11

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

None known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.
Dispose of as hazardous waste.

Waste no. (recommended) 200129*

Contaminated packaging

Uncontaminated packaging may be reused.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information**14.1 UN number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

BHR Hygiene AG

3493 Kammern

Date printed 18.10.2018, Revision 10.02.2016

Version 01

Page 9 / 11

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	<1 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information**16.1 Hazard statements (SECTION 03)**

H412 Harmful to aquatic life with long lasting effects.
H318 Causes serious eye damage.
H315 Causes skin irritation.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Classification procedure**

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

none



Copyright: Chemiebüro®

